INDEX TO AUTHORS.

A

Abramson, Harold A. The mechanism of the inflammatory process. I. The electrophoresis of the blood cells of the h rse and its relation to leucocyte emigration, 987

—. II. Concerning the adhesive force of one pseudopod of a frog leucocyte and its relation to leucocyte emigration, 1003

Avery, Oswald T. See GOEBEL and AVERY, 601

B

Benischek, Maria. See GOLDBLATT and BENISCHEK, 699

Binger, Carl A. L., and **Christie, Ronald V.** An experimental study of diathermy. I. The measurement of lung temperature, 571

— and —. II. The conditions necessary for the production of local heat in the lungs, 585

— and —. III. The temperature of the circulating blood, 595

—. See CHRISTIE and BINGER, 715

Bryant, Gladys. See SMITH and BRYANT, 133

Burn, Caspar. See WEBSTER and BURN, 855, 871, 887

C

Chesney, Alan M., Halley, Charles R. L., and **Kemp, Jarold E.** Studies in experimental syphilis. VII. Reinoculation of treated and untreated syphilitic rabbits with heterologous strains of *Treponema pallidum*, 223

Christie, Ronald V., and **Binger, Carl A. L.** An experimental study of diathermy. IV. Evidence for the penetration of high frequency currents through the living body, 715

—. See BINGER and CHRISTIE, 571, 585, 595

Churchman, John W. The structure of *Bacillus anthracis* and reversal of the Gram reaction, 1007

Cohen, John. See WILBUR, DALAND, and COHEN, 43

D

Daland, Geneva A., and **Isaacs, Raphael.** Cell respiration studies. II. A comparative study of the oxygen consumption of blood from normal individuals and patients with increased leucocyte counts (sepsis; chronic myelogenous leucemia), 53

—. See WILBUR, DALAND, and COHEN, 43

Doan, Charles A., and **Sabin, Florence R.** Local progression with spontaneous regression of tuberculosis in the bone marrow of rabbits, correlated with a transitory anemia and leucopenia after intravenous inoculation, 315

— and **Zerfas, Leon G.** The rhythmic range of the white blood cells in human, pathological leucopenic and leucocytic states, with a study of thirty-two human bone marrows, 511

—. See SABIN and DOAN, 627, 645

Dochez, A. R., and **Stevens, Franklin A.** Studies on the biology of streptococcus. VII. Allergic reactions with strains from erysipelas, 487

Dominguez, R. Experimental atherosclerosis and blood pressure in the rabbit, 463

—. The systolic blood pressure of the normal rabbit measured by a slightly modified Van Leersum method. Final report, 443

Duval, Charles W., and **Hibbard, R. J.** Nature of the toxic moiety of *Streptococcus scarlatinæ*, 379

E

Eggerth, Arnold H. The effect of serum upon the germicidal action of soaps, 671

F

Fleming, William L. Studies on the oxidation and reduction of immunological substances. VII. The differentiation of tetanolysin and tetanospasmin, 279

— and **Neill, James M.** Studies on the oxidation and reduction of immunological substances. IX. The erythrocyte-combining property of pneumococcus hemotoxin, 755

—. See GASPARI, FLEMING, and NEILL, 101

—. See NEILL and FLEMING, 263

—. See NEILL, FLEMING, and GASPARI, 735, 777

—. See SUGG, FLEMING, and NEILL, 909

G

Gaspari, Emidio L., Fleming, William L., and **Neill, James M.** Immunological properties of a typical (S-producing) and a degraded (non-S-producing) strain of Type II pneumococcus with special reference to protective antibodies, 101

Gaspari, Emidio L. See NEILL, FLEMING, and GASPARI, 735, 777

—. See NEILL and GASPARI, 113

Goebel, Walther F., and **Avery, Oswald T.** The soluble specific substance of Friedländer's bacillus. III. On the isolation and properties of the specific carbohydrates from Types A and C Friedländer bacillus, 601

Goldblatt, Harry, and **Benischek, Maria.** Vitamin A deficiency and metaplasia, 699

H

Haden, Russell L., and **Orr, Thomas G.** The oxygen content of the venous blood of the dog after upper gastrointestinal tract obstruction, 709

Halley, Charles R. L. See CHESNEY, HALLEY, and KEMP, 223

Hibbard, R. J. See DUVAL and HIBBARD, 379

I

Isaacs, Raphael. See DALAND and ISAACS, 53

J

Jeney, Andrew. The influence of protein-free liver and spleen extracts on the blood regeneration and respiratory exchange of anemic rabbits, 689

— and **Jobling, James W.** Effect of certain tissue extracts on red blood cell regeneration, 839

Jobling, James W. See JENEY and JOBLING, 839
Johnson, Walter R. Studies in experimental extracorporeal thrombosis. VI. Certain technical modifications in methods of study, 979
Jones, F. S. Agglutination by precipitin, 303
—. The effect of heat on antibodies, 291
Jungeblut, C. W. The rôle of the reticulo-endothelial system in immunity. IV. The action of diphtheria toxin in splenectomized and blocked mice, 609

K

Kemp, Jarold E. See CHESNEY, HALLEY, and KEMP, 223
Kubie, Lawrence S. A study of the perivascular tissues of the central nervous system, with the supravital technique, 615
Kuttner, Ann G. Further studies concerning the filtrable virus present in the submaxillary glands of guinea pigs, 935

L

Landsteiner, K., and **Levine, Philip.** On a specific substance of the cholera vibrio, 213
—. See LEVENE, LANDSTEINER, and VAN DER SCHEER, 197
Levene, P. A., Landsteiner, K., and **van der Scheer, J.** Immunization experiments with lecithin, 197
Levine, Philip. See LANDSTEINER and LEVINE, 213
Little, Ralph B. See SMITH and LITTLE, 123
Lynch, Clara J. Studies on the relation between tumor susceptibility and heredity. IV. The inheritance of susceptibility to tar-induced tumors in the lungs of mice, 917

M

MacKay, Eaton M., and **MacKay, Lois Lockard.** Enlargement of the adrenal cortex in experimental uremia, 429
MacKay, Lois Lockard. See MACKAY and MACKAY, 429
Moise, Theodore S., and **Smith, Arthur H.** Diet and tissue growth. V. The effect of dietary protein on the remaining kidney of adult white rats following a unilateral nephrectomy, 27
Moore, Richmond L. A study of the Hering-Breuer reflex, 819
Mudd, Emily B. H. See MUDD and MUDD, 167, 173
Mudd, Stuart, and **Mudd, Emily B. H.** On the mechanism of the serum sensitization of acid-fast bacteria, 173
— and —. The surface composition of the tubercle bacillus and other acid-fast bacteria, 167
Murphy, James B. See PEARCE and MURPHY, 205

N

Neill, James M., and **Fleming, William L.** Studies on the oxidation and reduction of immunological substances. VI. The "reactivation" of the bacteriolytic activity of oxidized pneumococcus extracts, 263

Neill, James M., Fleming, William L., and **Gaspari, Emidio L.** Studies on the oxidation and reduction of immunological substances. VIII. The antigenic properties of hemolytically active and hemolytically inactive modifications of pneumococcus hemotoxin, 735

—, —, and —. X. Immunological distinctions between the hemotoxin and the "protein fraction" of the pneumococcus cell, 777

— and **Gaspari, Emidio L.** Factors involved in the infection of mice after vaccination with Type II pneumococci, 113

—. See FLEMING and NEILL, 755

—. See GASPARI, FLEMING, and NEILL, 101

—. See SUGG, FLEMING, and NEILL, 909

Nelson, John B. Studies on a paratyphoid infection in guinea pigs. III. A second type of Salmonella naturally appearing in the endemic stage, 541

—. Variations in the scours type of *Bacillus coli* from the standpoint of bacteriophagic action, 549

du Noüy, P. Lecomte. Surface tension of serum. XV. The thickness of the monolayer of rabbit plasma, 1

O

Orr, Thomas G. See HADEN and ORR, 709

P

Paul, John R. A comparative study of smooth and rough pneumococcus colonies, 793

—. The occurrence of rough pneumococci *in vivo*, 807

Pearce, Louise, and **Murphy, James B.** Further observations on the inability to transmit a rabbit neoplasm by cell-free materials, 205

— and **Rivers, Thomas M.** Effect of a filtrable virus (Virus III) on the growth and malignancy of a transplantable neoplasm of the rabbit, 81

— and —. Effect of host immunity to a filtrable virus (Virus III) on the growth and malignancy of a transplantable rabbit neoplasm, 65

Pritchett, Ida W. Microbic virulence and host susceptibility in paratyphoid-enteritidis infection of white mice. XII. The effect of diet on host resistance. Further studies, 557

—. See WEBSTER and PRITCHETT, 847

R

Rivers, Thomas M. See PEARCE and RIVERS, 65, 81

Robertson, Oswald H., and **Sia, Richard H. P.** Studies on pneumococcus growth inhibition. VII. The relation of opsonins to natural resistance against pneumococcus infection, 239

Rowntree, Leonard G., and **Shionoya, Takuji.** Studies in experimental extracorporeal thrombosis. I. A method for the direct observation of extracorporeal thrombus formation, 7

S

Sabin, Florence R., and **Doan, Charles A.** The biological reactions in rabbits to the protein and phosphatide fractions from the chemical analysis of human tubercle bacilli, 645

Sabin, Florence R., and **Doan, Charles A.** The relation of monocytes and clasmatocytes to early infection in rabbits with bovine tubercle bacilli, 627

—. See DOAN and SABIN, 315

Shionoya, Takuji. Studies in experimental extracorporeal thrombosis. II. Thrombus formation in normal blood in the extracorporeal vascular loop, 13

—. III. Effects of certain anticoagulants (heparin and hirudin) on extracorporeal thrombosis and on the mechanism of thrombus formation, 19

—. IV. Effects of certain physical and mechanical factors on extracorporeal thrombosis with and without the use of anticoagulants, 957

—. V. Influence of certain chemical substances on extracorporeal thrombosis with special reference to the efficacy of a combination of heparin and magnesium sulfate, 963

—. See ROWNTREE and SHIONOYA, 7

Shwartzman, Gregory. Studies on streptococcus bacteriophage. I. A powerful lytic principle against hemolytic streptococci of erysipelas origin, 497

Sia, Richard H. P. See ROBERTSON and SIA, 239

Smith, Arthur H. See MOISE and SMITH, 27

Smith, Dorothea E. Studies on pathogenic *Bacillus coli* from bovine sources. IV. A biochemical study of the capsular substance, 155

Smith, Theobald. Studies on pathogenic *Bacillus coli* from bovine sources. III. Normal and serologically induced resistance to *Bacillus coli* and its mutant, 141

Smith, Theobald, and **Bryant, Gladys.** Studies on pathogenic *Bacillus coli* from bovine sources. II. Mutations and their immunological significance, 133

— and **Little, Ralph B.** Studies on pathogenic *Bacillus coli* from bovine sources. I. The pathogenic action of culture filtrates, 123

Stevens, Franklin A. See DOCHEZ and STEVENS, 487

Stewart, Fred W. Local specific therapy of experimental pneumococcal meningitis. I. Experimental pneumococcal meningitis in rabbits, 391

—. II. The production, pathology, and treatment of Type I pneumococcal meningitis in dogs, 409

Sugg, John Y., Fleming, William L., and **Neill, James M.** Studies on bacterial enzymes. VI. The maltase of the diphtheria bacillus, 909

T

Tang, Fei-Fang. See ZINSSER and TANG, 357

Tillett, William S. Studies on immunity to *Pneumococcus mucosus* (Type III). III. Increased resistance to Type III infection induced in rabbits by immunization with R and S forms of pneumococcus, 343

V

van der Scheer, J. See LEVENE, LANDSTEINER, and VAN DER SCHEER, 197

W

Webster, Leslie T., and **Burn, Caspar.** Studies on the mode of spread of *Bacillus enteritidis* mouse typhoid infection. II. Effects of external conditions on the occurrence of smooth, mucoid, and rough colony types, 855

— and —. III. Studies of bacterial cells taken from smooth, mucoid, and rough colonies, 871

— and —. IV. The relative virulence of smooth, mucoid, and rough strains, 887

Webster, Leslie T., and **Pritchett, Ida W.** Studies on the mode of spread of *Bacillus enteritidis* mouse typhoid infection. I. Native epidemicity, 847

Wilbur, Blake C., Daland, Geneva A., and **Cohen, John.** Cell respiration studies. I. A microspirometer for the continuous study of the oxygen absorption by living cells, 43

Z

Zerfas, Leon G. See DOAN and ZERFAS, 511

Zinsser, Hans, and **Tang, Fei-Fang.** Studies in ultrafiltration, 357

INDEX TO SUBJECTS.

A

Acid:
-fast bacteria, serum sensitization (MUDD and MUDD) 173
— —, surface composition (MUDD and MUDD) 167

Adrenal:
Cortex, enlargement in uremia (MACKAY and MACKAY) 429

Agglutination:
Precipitin (JONES) 303

Allergy:
Streptococcus strains from erysipelas (DOCHEZ and STEVENS) 487

Anemia:
Blood regeneration and respiratory exchange, influence of protein-free liver extracts (JENEY) 689
— — — respiratory exchange, influence of protein-free spleen extracts (JENEY) 689
Transitory, and leucopenia, after intravenous inoculation, correlated with local progression with spontaneous regression of tuberculosis in marrow (DOAN and SABIN) 315

Antibody:
Heat, effect of, on (JONES) 291
Protective, against typical (S-producing) strain and de-

Antibody—*continued*:
graded (non-S-producing) strain of Type II pneumococcus (GASPARI, FLEMING, and NEILL) 101

Anticoagulant:
Heparin, effect on extracorporeal thrombosis and mechanism of thrombus formation (SHIONOYA) 19
Hirudin, effect on extracorporeal thrombosis and mechanism of thrombus formation (SHIONOYA) 19
Thrombosis, extracorporeal, effects of physical and mechanical factors with and without use of (SHIONOYA) 957

Antigen:
Pneumococcus hemotoxin, antigenic properties of hemolytically active modification (NEILL, FLEMING, and GASPARI) 735
— —, — — of hemolytically inactive modifications (NEILL, FLEMING, and GASPARI) 735

Atherosclerosis:
Blood pressure and, in rabbit (DOMINGUEZ) 463

B

Bacillus:
anthracis, structure, and reversal of Gram reaction (CHURCHMAN) 1007

Bacillus—*continued*:
coli, from bovine sources, and its mutant, normally and serologically induced resistance (SMITH) 141
—, pathogenic, from bovine sources. I (SMITH and LITTLE) 123
—, —, — bovine sources. II (SMITH and BRYANT) 133
—, —, — bovine sources. III (SMITH) 141
—, —, — bovine sources. IV (SMITH) 155
—, variations in scours type from standpoint of bacteriophagic action (NELSON) 549
diphtheriæ, maltase (SUGG, FLEMING, and NEILL) 909
enteritidis, mouse typhoid, bacterial cells from smooth, mucoid, and rough colonies (WEBSTER and BURN) 871
—, — —, effects of external conditions on occurrence of smooth, mucoid, and rough colony types (WEBSTER and BURN) 855
—, — —, mode of spread of infection. I (WEBSTER and PRITCHETT) 847
—, — —, mode of spread of infection. II (WEBSTER and BURN) 855
—, — —, mode of spread of infection. III (WEBSTER and BURN) 871
—, — —, mode of spread of infection. IV (WEBSTER and BURN) 887
—, — —, relative virulence of smooth, mucoid, and rough strains (WEBSTER and BURN) 887
Bacillus—*continued*:
Friedländer's, soluble specific substance. III (GOEBEL and AVERY) 601
—, Type A, isolation and properties of specific carbohydrate (GOEBEL and AVERY) 601
—, — C, isolation and properties of specific carbohydrate (GOEBEL and AVERY) 601
tuberculosis, bovine, relation of monocytes and clasmatocytes to early infection in rabbits (SABIN and DOAN) 627
—, human, biological reactions in rabbits to phosphatide from (SABIN and DOAN) 645
—, —, — — in rabbits to protein from (SABIN and DOAN) 645
—, surface composition (MUDD and MUDD) 167
Bacteriolysis:
Pneumococcus extracts, oxidized, reactivation of bacteriolytic activity (NEILL and FLEMING) 263
Bacteriophage:
Scours type of *Bacillus coli*, variations in bacteriophagic action (NELSON) 549
Streptococcus. I (SHWARTZMAN) 497
Bacterium:
Acid-fast, serum sensitization (MUDD and MUDD) 173
—, surface composition (MUDD and MUDD) 167
Cells from smooth, mucoid, and rough colonies of mouse typhoid *Bacillus enteritidis* (WEBSTER and BURN) 871

Bacterium—*continued*:
Enzyme. VI (SUGG, FLEMING, and NEILL) 909
Biochemistry:
Bacillus coli, capsular substance (SMITH) 155
Blood:
Cell, red. *See* Erythrocyte.
—, white. *See* Leucocyte.
Cells, electrophoresis, relation to leucocyte emigration (ABRAMSON) 987
Circulating, temperature (BINGER and CHRISTIE) 595
Normal, extracorporeal thrombosis (SHIONOYA) 13
Oxygen absorption by blood from normal individuals compared with absorption by blood from patients with increased leucocyte counts (DALAND and ISAACS) 53
Regeneration, and respiratory exchange in anemia, influence of protein-free liver extracts (JENEY) 689
—, — — — in anemia, influence of protein-free spleen extracts (JENEY) 689
Venous, oxygen content after upper gastrointestinal tract obstruction (HADEN and ORR) 709
Blood pressure:
Atherosclerosis and, in rabbit (DOMINGUEZ) 463
Systolic, of normal rabbit, by modified Van Leersum method (DOMINGUEZ) 443
Breuer:
Hering-Breuer reflex. *See* Reflex.

C

Carbohydrate:
Friedländer's bacillus, Type A, isolation and properties (GOEBEL and AVERY) 601
— —, — C, isolation and properties (GOEBEL and AVERY) 601
Cattle:
Bacillus coli, pathogenic. I (SMITH and LITTLE) 123
— —, —. II (SMITH and BRYANT) 133
— —, —. III (SMITH) 141
— —, —. IV (SMITH) 155
— *tuberculosis*, bovine, relation of monocytes and clasmatocytes to early infection in rabbits (SABIN and DOAN) 627
Cell:
Bacterial, from smooth, mucoid, and rough colonies of mouse typhoid *Bacillus enteritidis* (WEBSTER and BURN) 871
Blood, red. *See* Erythrocyte.
—, relation of electrophoresis to leucocyte emigration (ABRAMSON) 987
—, white. *See* Leucocyte.
Living, microspirometer for study of oxygen absorption (WILBUR, DALAND, and COHEN) 43
Pneumococcus, immunological distinctions between hemotoxin and protein fraction (NEILL, FLEMING, and GASPARI) 777
Respiration. I (WILBUR, DALAND, and COHEN) 43

Cell—*continued*:
Respiration. II (DALAND and ISAACS) 53
Tumor not transmitted by cell-free materials (PEARCE and MURPHY) 205
Cholera:
Vibrio, specific substance (LANDSTEINER and LEVINE) 213
Circulation:
Blood, circulating, temperature (BINGER and CHRISTIE) 595
Clasmatocyte:
Monocyte and, relation to early infection in rabbits with bovine tubercle bacilli (SABIN and DOAN) 627
Cultivation:
Bacillus coli, from bovine sources, pathogenic action of culture filtrates (SMITH and LITTLE) 123

D

Diathermy:
I (BINGER and CHRISTIE) 571
II (BINGER and CHRISTIE) 585
III (BINGER and CHRISTIE) 595
IV (CHRISTIE and BINGER) 715
Diet:
Host resistance in paratyphoid-enteritidis infection, effect on, of (PRITCHETT) 557
Protein, dietary, effect on remaining kidney after unilateral nephrectomy (MOISE and SMITH) 27
Tissue growth and. V (MOISE and SMITH) 27
Diphtheria:
Bacillus, maltase (SUGG, FLEMING, and NEILL) 909
Diphtheria—*continued*:
Toxin, action in splenectomized and blocked mice (JUNGEBLUT) 609

E

Electricity:
High frequency currents, penetration through living body (CHRISTIE and BINGER) 715
Electrophoresis:
Blood cells, relation to leucocyte emigration (ABRAMSON) 987
Endemic:
Paratyphoid, Salmonella naturally appearing in (NELSON) 541
Enzyme:
Bacterium. VI (SUGG, FLEMING, and NEILL) 909
Epidemiology:
Bacillus enteritidis mouse typhoid infection, native epidemicity (WEBSTER and PRITCHETT) 847
Erysipelas:
Streptococcus, hemolytic, powerful lytic principle against (SHWARTZMAN) 497
—, inducing allergic reactions (DOCHEZ and STEVENS) 487
Erythrocyte:
Pneumococcus hemotoxin, erythrocyte-combining property (FLEMING and NEILL) 755
Regeneration, effect of tissue extracts (JENEY and JOBLING) 839
Extract:
Liver, protein-free, influence on blood regeneration and respiratory exchange in anemia (JENEY) 689

Extract—*continued*:
Pneumococcus, oxidized, reactivation of bacteriolytic activity (NEILL and FLEMING) 263
Spleen, protein-free, influence on blood regeneration and respiratory exchange in anemia (JENEY) 689
Tissue, effect on red blood cell regeneration (JENEY and JOBLING) 839

F

Filtration:
Bacillus coli, from bovine sources, pathogenic action of culture filtrates (SMITH and LITTLE) 123
Virus, filtrable, effect of host immunity on growth and malignancy of transplantable neoplasm (PEARCE and RIVERS) 65
—, —, — on growth and malignancy of transplantable neoplasm (PEARCE and RIVERS) 81
—, —, in submaxillary glands of guinea pigs (KUTTNER) 935

Friedländer:
Bacillus. *See* Bacillus.

G

Gastrointestinal tract:
Upper, oxygen content of venous blood after obstruction (HADEN and ORR) 709

Germicide:
Soap, germicidal action, effect of serum (EGGERTH) 671

Gland:
Submaxillary, of guinea pigs, filtrable virus in (KUTTNER) 935

Gram:
Staining. *See* Staining.

H

Heat:
Antibodies, effect on, of (JONES) 291

Hemolysis:
Pneumococcus hemotoxin, antigenic properties of hemolytically active modification (NEILL, FLEMING, and GASPARI) 735
— —, — — of hemolytically inactive modifications (NEILL, FLEMING, and GASPARI) 735
Streptococcus, hemolytic, of erysipelas origin, powerful lytic principle against (SHWARTZMAN) 497

Hemotoxin:
Pneumococcus, antigenic properties of hemolytically active modification (NEILL, FLEMING, and GASPARI) 735
—, — — of hemolytically inactive modifications (NEILL, FLEMING, and GASPARI) 735
—, erythrocyte-combining property (FLEMING and NEILL) 755
—, immunological distinctions from protein fraction of cell (NEILL, FLEMING, and GASPARI) 777

Heparin:
Extracorporeal thrombosis and mechanism of thrombus formation, effect on, of (SHIONOYA) 19
Magnesium sulfate combined with, influence on extracorporeal thrombosis (SHIONOYA) 963

Heredity:
Susceptibility to tar-induced tumors in lungs of mice (LYNCH) 917
Tumor susceptibility and. IV (LYNCH) 917
Hering-Breuer:
Reflex. *See* Reflex.
Hirudin:
Extracorporeal thrombosis and mechanism of thrombus formation, effect on, of (SHIONOYA) 19

I

Immunity:
Host, to filtrable virus, effect on growth and malignancy of transplantable neoplasm (PEARCE and RIVERS) 65
Pneumococcus mucosus. III (TILLETT) 343
Reticulo-endothelial system. IV (JUNGEBLUT) 609
Immunization:
Lecithin (LEVENE, LANDSTEINER, and VAN DER SCHEER) 197
Pneumococcus R forms inducing increased resistance to Type III infection (TILLETT) 343
— S forms inducing increased resistance to Type III infection (TILLETT) 343
Immunology:
Bacillus coli from bovine sources, mutations (SMITH and BRYANT) 133
Oxidation and reduction of immunological substances. VI (NEILL and FLEMING) 263
— — — of immunological substances. VII (FLEMING) 279
Immunology—*continued*:
Oxidation and reduction of immunological substances. VIII (NEILL, FLEMING, and GASPARI) 735
— — — of immunological substances. IX (FLEMING and NEILL) 755
— — — of immunological substances. X (NEILL, FLEMING, and GASPARI) 777
Pneumococcus hemotoxin and protein fraction of cell, immunological distinctions (NEILL, FLEMING, and GASPARI) 777
— Type II, typical (S-producing) strain and degraded (non-S-producing) strain (GASPARI, FLEMING, and NEILL) 101
Inflammation:
Mechanism of process. I (ABRAMSON) 987
— — —. II (ABRAMSON) 1003
In vivo:
Pneumococcus (PAUL) 807

K

Kidney:
Dietary protein, effect on kidney after unilateral nephrectomy (MOISE and SMITH) 27

L

Lecithin:
Immunization experiments (LEVENE, LANDSTEINER, and VAN DER SCHEER) 197
Leucemia:
Myelogenous, chronic, absorption of oxygen by blood, compared with absorption by blood from normal individuals (DALAND and ISAACS) 53

Leucocyte:
Emigration, relation to electrophoresis of blood cells (ABRAMSON) 987
Human pathological leucocytic states (DOAN and ZERFAS) 511
— — leucopenic states (DOAN and ZERFAS) 511
Increased count, oxygen absorption by blood compared with absorption by blood from normal individuals (DALAND and ISAACS) 53
Pseudopodium, relation of adhesive force to leucocyte emigration (ABRAMSON) 1003

Leucocytosis:
Human, pathological, white blood cells (DOAN and ZERFAS) 511

Leucopenia:
Anemia, transitory, and leucopenia, after intravenous inoculation, correlated with local progression with spontaneous regression of tuberculosis in marrow (DOAN and SABIN) 315
Human, pathological, white blood cells (DOAN and ZERFAS) 511

Liver:
Extract, protein-free, influence on blood regeneration and respiratory exchange in anemia (JENEY) 689

Lungs:
Heat, local, conditions necessary for production (BINGER and CHRISTIE) 585
Temperature measured (BINGER and CHRISTIE) 571
Tumor induced in lungs of mice with tar, inheritance of susceptibility (LYNCH) 917

Lysis:
Bacteriophage against hemolytic streptococci of erysipelas origin (SHWARTZMAN) 497

M

Magnesium sulfate:
Heparin combined with, influence on extracorporeal thrombosis (SHIONOYA) 963

Malignancy:
Tumor, effect of filtrable virus (PEARCE and RIVERS) 81
—, — — host immunity to filtrable virus (PEARCE and RIVERS) 65

Maltase:
Bacillus diphtheriæ (SUGG, FLEMING, and NEILL) 909

Marrow:
Tuberculosis, local progression with spontaneous regression, correlated with transitory anemia and leucopenia after intravenous inoculation (DOAN and SABIN) 315
White blood cells in human, pathological leucocytic states (DOAN and ZERFAS) 511
— — — in human, pathological leucopenic states (DOAN and ZERFAS) 511

Meningitis:
Pneumococcus, in rabbits (STEWART) 391
—, local specific therapy. I (STEWART) 391
—, — — —. II (STEWART) 409
—, pathology in dogs (STEWART) 409
—, production in dogs (STEWART) 409

Meningitis—*continued*:
Pneumococcus, treatment in dogs (STEWART) 409
Metaplasia:
Vitamin A deficiency, relation (GOLDBLATT and BENISCHEK) 699
Method:
Van Leersum, modified, for measurement of systolic blood pressure of normal rabbit (DOMINGUEZ) 443
Microspirometer:
Oxygen absorption by living cells studied by (WILBUR, DALAND, and COHEN) 43
Monocyte:
Clasmatocyte and, relation to early infection in rabbits with bovine tubercle bacilli (SABIN and DOAN) 627
Mutation:
Bacillus coli, from bovine sources, immunological significance (SMITH and BRYANT) 133
— — mutant from bovine sources, normally and serologically induced resistance (SMITH) 141
Myelogenous:
Leucemia, chronic, absorption of oxygen by blood, compared with absorption by blood from normal individuals (DALAND and ISAACS) 53

N

Neoplasm:
See Tumor.
Nephrectomy:
Unilateral, effect of dietary protein on remaining kidney after (MOISE and SMITH) 27
Nervous system:
Central, perivascular tissues studied with supravital technique (KUBIE) 615

O

Obstruction:
Gastrointestinal tract, upper, oxygen content of venous blood (HADEN and ORR) 709
Opsonin:
Antipneumococcus, relation to natural resistance against pneumococcus infection (ROBERTSON and SIA) 239
Oxidation:
Pneumococcus extracts, oxidized, reactivation of bacteriolytic activity (NEILL and FLEMING) 263
Reduction and, of immunological substances. VI (NEILL and FLEMING) 263
— —, — immunological substances. VII (FLEMING) 279
— —, — immunological substances. VIII (NEILL, FLEMING, and GASPARI) 735
— —, — immunological substances. IX (FLEMING and NEILL) 755
— —, — immunological substances. X (NEILL, FLEMING, and GASPARI) 777
Oxygen:
Absorption by blood from normal individuals compared with absorption by blood from patients with increased leucocyte counts (DALAND and ISAACS) 53

Oxygen—*continued*:
Absorption by living cells, studied by microspirometer (WILBUR, DALAND, and COHEN) 43
Blood, venous, after upper gastrointestinal tract obstruction (HADEN and ORR) 709

P

Paratyphoid:
-enteritidis, microbic virulence and host susceptibility. XII (PRITCHETT) 557
Guinea pig. III (NELSON) 541

Pathogenicity:
Bacillus coli from bovine sources. I (SMITH and LITTLE) 123
— — — bovine sources. II (SMITH and BRYANT) 133
— — — bovine sources. III (SMITH) 141
— — — bovine sources. IV (SMITH) 155
— — — bovine sources, culture filtrates (SMITH and LITTLE) 123

Pathology:
Meningitis, pneumococcal, in dogs (STEWART) 409
White blood cells in human pathological leucocytic states (DOAN and ZERFAS) 511
— — — in human pathological leucopenic states (DOAN and ZERFAS) 511

Phosphatide:
Bacillus tuberculosis, human, biological reactions of rabbits (SABIN and DOAN) 645

Plasma:
Rabbit, thickness of monolayer (DU NOÜY) 1

Pneumococcus:
Extract, oxidized, reactivation of bacteriolytic activity (NEILL and FLEMING) 263
Growth inhibition. VII (ROBERTSON and SIA) 239
Hemotoxin, antigenic properties of hemolytically active modification (NEILL, FLEMING, and GASPARI) 735
—, — — of hemolytically inactive modifications (NEILL, FLEMING, and GASPARI) 735
—, erythrocyte-combining property (FLEMING and NEILL) 755
— and protein fraction, immunological distinctions (NEILL, FLEMING, and GASPARI) 777
Infection, relation of opsonins to natural resistance (ROBERTSON and SIA) 239
Meningitis in rabbits (STEWART) 391
—, local specific therapy. I (STEWART) 391
—, — — —. II (STEWART) 409
—, pathology in dogs (STEWART) 409
—, production in dogs (STEWART) 409
—, treatment in dogs (STEWART) 409
mucosus, immunity. III (TILLETT) 343
—, resistance increased by immunization with R forms (TILLETT) 343
—, — — by immunization with S forms (TILLETT) 343

Pneumococcus—*continued*:
Rough, *in vivo* (PAUL) 807
Smooth and rough colonies (PAUL) 793
Type II, immunological properties of typical (S-producing) strain and degraded (non-S-producing) strain (GASPARI, FLEMING, and NEILL) 101
— —, vaccination in mice (NEILL and GASPARI) 113

Precipitin:
Agglutination (JONES) 303

Protein:
Bacillus tuberculosis, human, biological reactions of rabbits (SABIN and DOAN) 645
Dietary, effect on remaining kidney after unilateral nephrectomy (MOISE and SMITH) 27
Liver extract, protein-free, influence on blood regeneration and respiratory exchange in anemia (JENEY) 689
Pneumococcus, immunological distinctions from hemotoxin (NEILL, FLEMING, and GASPARI) 777
Spleen extract, protein-free, influence on blood regeneration and respiratory exchange in anemia (JENEY) 689

Pseudopodium:
Leucocyte, relation of adhesive force to leucocyte emigration (ABRAMSON) 1003

R

Reduction:
Oxidation and, of immunological substances. VI (NEILL and FLEMING) 263
— —, — immunological substances. VII (FLEMING) 279
— —, — immunological substances. VIII (NEILL, FLEMING, and GASPARI) 735
— —, — immunological substances. IX (FLEMING and NEILL) 755
— —, — immunological substances. X (NEILL, FLEMING, and GASPARI) 777

Reflex:
Hering-Breuer (MOORE) 819

Respiration:
Cell. I (WILBUR, DALAND, and COHEN) 43
—. II (DALAND and ISAACS) 53
Exchange, respiratory, and blood regeneration in anemia, influence of protein-free liver extracts (JENEY) 689
—, —, — blood regeneration in anemia, influence of protein-free spleen extracts (JENEY) 689

Reticulo-endothelial system:
Immunity. IV (JUNGEBLUT) 609

S

Salmonella:
Paratyphoid in endemic stage (NELSON) 541

Scours:
Bacillus coli, variations from standpoint of bacteriophagic action (NELSON) 549
Sensitization:
Serum, of acid-fast bacteria (MUDD and MUDD) 173
Sepsis:
Oxygen absorption by blood, compared with absorption by blood from normal individuals (DALAND and ISAACS) 53
Serology:
Bacillus coli mutant from bovine sources, resistance (SMITH) 141
Serum:
Germicidal action of soaps, effect on, of (EGGERTH) 671
Sensitization of acid-fast bacteria (MUDD and MUDD) 173
Surface tension. XV (DU NOÜY) 1
Soap:
Germicidal action, effect of serum (EGGERTH) 671
Specificity:
Carbohydrate from Type A Friedländer bacillus, isolation and properties (GOEBEL and AVERY) 601
— — — C Friedländer bacillus, isolation and properties (GOEBEL and AVERY) 601
Cholera vibrio (LANDSTEINER and LEVINE) 213
Friedländer's bacillus, soluble substance. III (GOEBEL and AVERY) 601
Spleen:
Extract, protein-free, influence on blood regeneration and
Spleen—*continued*:
respiratory exchange in anemia (JENEY) 689
Splenectomy:
Diphtheria toxin action in splenectomized and blocked mice (JUNGEBLUT) 609
Staining:
Gram, reversal of reaction, and structure of *Bacillus anthracis* (CHURCHMAN) 1007
Supravital, for study of perivascular tissues of central nervous system (KUBIE) 615
Streptococcus:
Bacteriophage. I (SHWARTZMAN) 497
Biology. VII (DOCHEZ and STEVENS) 487
Hemolytic, of erysipelas origin, powerful lytic principle against (SHWARTZMAN) 497
scarlatinæ, toxin (DUVAL and HIBBARD) 379
Submaxillary gland:
See Gland.
Suprarenal:
See Adrenal.
Susceptibility:
Host, and microbic virulence in paratyphoid-enteritidis infection. XII (PRITCHETT) 557
Tumor, relation to heredity. IV (LYNCH) 917
—, tar-induced, in lungs of mice, inheritance of susceptibility (LYNCH) 917
Syphilis:
VII (CHESNEY, HALLEY, and KEMP) 223
Reinoculation of treated and untreated rabbits with heterologous strains of *Treponema pallidum* (CHESNEY, HALLEY, and KEMP) 223

T

Temperature:
Blood, circulating (BINGER and CHRISTIE) 595
Lungs, conditions necessary for production of local heat (BINGER and CHRISTIE) 585
—, measurement (BINGER and CHRISTIE) 571
Tension:
Surface, of serum. XV (DU NOÜY) 1
Tetanolysin:
Differentiation from tetanospasmin (FLEMING) 279
Tetanospasmin:
Differentiation from tetanolysin (FLEMING) 279
Thrombosis:
Extracorporeal. I (ROWNTREE and SHIONOYA) 7
—. II (SHIONOYA) 13
—. III (SHIONOYA) 19
—. IV (SHIONOYA) 957
—. V (SHIONOYA) 963
—. VI (JOHNSON) 979
—, direct observation (ROWNTREE and SHIONOYA) 7
—, effect of combination of heparin and magnesium sulfate (SHIONOYA) 963
—, — — physical and mechanical factors without use of anticoagulants (SHIONOYA) 957
—, — — physical and mechanical factors with use of anticoagulants (SHIONOYA) 957
—, in normal blood (SHIONOYA) 13
—, and mechanism of thrombus formation, effect of heparin (SHIONOYA) 19
Thrombosis—*continued*:
Extracorporeal, and mechanism of thrombus formation, effect of hirudin (SHIONOYA) 19
—, technical modifications in method (JOHNSON) 979
Tissue:
Extract, effect on red blood cell regeneration (JENEY and JOBLING) 839
Growth, and diet. V (MOISE and SMITH) 27
Perivascular, of central nervous system, studied with supravital technique (KUBIE) 615
Toxin:
Diphtheria, action in splenectomized and blocked mice (JUNGEBLUT) 609
Streptococcus scarlatinæ (DUVAL and HIBBARD) 379
Transplantation:
Tumor, transplantable, growth and malignancy, effect of filtrable virus (PEARCE and RIVERS) 81
—, —, — and malignancy, effect of host immunity to filtrable virus (PEARCE and RIVERS) 65
Treponema:
pallidum, reinoculation of treated and untreated syphilitic rabbits with heterologous strains (CHESNEY, HALLEY, and KEMP) 223
Tuberculosis:
Bacillus, bovine, relation of monocytes and clasmatocytes to early infection in rabbits (SABIN and DOAN) 627
—, human, biological reactions in rabbits to phosphatide from (SABIN and DOAN) 645

Tuberculosis—*continued*:
Bacillus, human, biological reactions in rabbits to protein from (SABIN and DOAN) 645
—, surface composition (MUDD and MUDD) 167
Local progression with spontaneous regression in bone marrow, correlated with transitory anemia and leucopenia after intravenous inoculation (DOAN and SABIN) 315

Tumor:
Growth and malignancy, effect of filtrable virus (PEARCE and RIVERS) 81
— — —, effect of host immunity to filtrable virus (PEARCE and RIVERS) 65
Susceptibility, relation to heredity. IV (LYNCH) 917
Tar-induced, in lungs of mice, inheritance of susceptibility (LYNCH) 917
Transmission not accomplished with cell-free materials (PEARCE and MURPHY) 205

Typhoid:
Mouse, *Bacillus enteritidis*, mode of spread of infection. I (WEBSTER and PRITCHETT) 847
—, — —, mode of spread of infection. II (WEBSTER and BURN) 855
—, — —, mode of spread of infection. III (WEBSTER and BURN) 871
—, — —, mode of spread of infection. IV (WEBSTER and BURN) 887

U

Ultrafiltration:
(ZINSSER and TANG) 357

Uremia:
Adrenal cortex enlargement (MACKAY and MACKAY) 429

V

Vaccination:
Pneumococcus Type II, in mice (NEILL and GASPARI) 113

Van Leersum:
Method. *See* Method.

Vein:
Blood, venous, oxygen content after upper gastrointestinal tract obstruction (HADEN and ORR) 709

Vibrio:
Cholera, specific substance (LANDSTEINER and LEVINE) 213

Virulence:
Bacillus enteritidis, mouse typhoid, relative virulence of smooth, mucoid, and rough strains (WEBSTER and BURN) 887
Microbic, and host susceptibility in paratyphoid-enteritidis infection. XII (PRITCHETT) 557

Virus:
Filtrable, in submaxillary glands of guinea pigs (KUTTNER) 935
— (Rivers Virus III), effect of host immunity to, on growth and malignancy of transplantable neoplasm (PEARCE and RIVERS) 65
— — — —, effect on growth and malignancy of transplantable neoplasm (PEARCE and RIVERS) 81

Vitamin(s):
A, deficiency, and metaplasia (GOLDBLATT and BENISCHEK) 699